



SDS	280, REV E	Effective Date:	June 14, 2007
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013
Product	Pitney Bowes Office Equipment	Page:	1 of 9
Name:	Cleaner (Batch #126994 and		
	higher)		

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1 **Product Identifier** Trade Name: Pitney Bowes Office Equipment Cleaner (Batch #126994 and higher) **Reorder Number:** CK0-4, CK0-1, CK0-2, CK0-3 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against 1.2 **Product Use:** Office Equipment Cleaner 1.3 Details of the Supplier of the Safety Data Sheet **Manufacturer:** Pitney Bowes Inc. Pitney Bowes Ltd 1 Elmcroft Road The Pinnacles Stamford, CT 06926-0700 Harlow CM10 FDD TINIAN CLAR

	United States	Essex, CM19 5BD
Information Phone Number:	800-243-7824	+44(0) 8705 252 525
E-mail:	ehs@pb.com	<u>ehs@pb.com</u>

 I.4
 Emergency Telephone Number

 Emergency Spill
 800-424-9300

 Information
 North America

00-1-703-527-3887 International (collect call)

SDS Date of Preparation: August 30, 2013

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the Substance or Mixture

CLP/GHS Classification (1272/2008):

Physical:	Health:	Environmental
Non-Hazardous	Eye Irritant Category 2	Non-Hazardous
	Skin Irritant Category 2	

EU Classification (67/548/EEC): Xi; R36/38

#### 2.2 Label Elements:

WARNING! Contains Tetrasodium Ethylenediaminetetraacetate, and Sodium Hydroxide





SDS	280, REV E	<b>Effective Date:</b>	June 14, 2007		
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013		
Product	Pitney Bowes Office Equipment	Page:	2 of 9		
Name:	Cleaner (Batch #126994 and				
	higher)				

# Hazard Phrases:

H315	Causes skin irritation	
H319	Causes serious eye irritation.	

## **Precautionary Phrases**

P264	Wash exposed skin thoroughly after handling.	
P280	Wear protective gloves.	
P302 + P352	IF ON SKIN: Wash with plenty of water	
P332 + P313	If skin irritation occurs: Get medical advice/attention.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
P337 + P313	If eye irritation persists: Get medical advice/attention.	

## 2.3 Other Hazards: None

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## **3.1 Substances:**

Chemical Name	CAS#	EINECS#	EU Classification (67/548/EEC)	GHS Classification Regulation (EC) No 1272/2008	%
2-Butoxyethanol	111-76-2	203-905-0	Xi, Xn R20/21/22, R36/38	Acute Tox 4 (H302, H312, H332) Eye Irrit 2 (H319) Skin Irrit 2 (H315)	3-6
Dipropylene Glycol Methyl Ether	34590-94-8	252-104-2	None	None	1-5
Tetrasodium Ethylenediaminet etraacetate	64-02-8	200-573-9	Xi, Xn, R22, R41	Eye Dam. 1 (H318) Acute Tox 4 (H302)	0.1-0.5
Sodium Hydroxide	1310-73-2	215-185-5	C, R35	Skin Corr.1A (H314)	0.1-0.5

See Section 16 for further information on EU and GHS Classification.

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of First Aid Measures

**Eyes:** Immediately flush with plenty of running cold water for 15 minutes, holding eyelids open to assure thorough rinsing. Get medical attention if irritation develops or persists. **Skin:** Wash with soap and water. Remove contaminated clothing and launder before reuse. Get medical attention if irritation develops or persists.

**Inhalation:** Remove to fresh air. Get medical attention if irritation develops or persists. **Ingestion:** DO NOT induce vomiting. Never give fluids or induce vomiting if the victim is

SDS	280, REV E	<b>Effective Date:</b>	June 14, 2007		
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013		
Product	Pitney Bowes Office Equipment	Page:	3 of 9		
Name:	Cleaner (Batch #126994 and	_			
	higher)				

unconscious or having convulsions. Get medical attention. **Notes to Physicians:** Treat symptomatically.

- **4.2 Most Important symptoms and effects, both acute and delayed:** Causes eye and skin irritation.
- **4.3 Indication of any immediate medical attention and special treatment needed:** Immediate medical treatment required for eye contact.

# **SECTION 5: FIRE FIGHTING MEASURES**

# 5.1 Extinguishing Media:

Use water spray, carbon dioxide, dry chemical or foam to extinguish fire.

5.2 Special Hazards Arising from the Substance or Mixture
 Unusual Fire and Explosion Hazards: Not classified as combustible, but will burn
 under fire conditions.

 Hazardous Decomposition Products: Carbon monoxide, and carbon dioxide.

#### 5.3 Advice for Fire-Fighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal Precautions, Protective Equipment and Emergency Procedures:** Avoid contact with eyes, skin and clothing.
- 6.2 Environmental Precautions: It is recommended to keep away from drains, surface and ground water.
- 6.3 Methods and Material for Containment and Cleaning Up: Large Spill: Not sold in large quantities. Small Spill: Wipe up with absorbent material and place into a suitable container for disposal. Rinse area with a damp cloth to remove residue.
- 6.4 Reference to Other Sections: Refer to Section 8 for protective equipment and Section 13 for disposal considerations.

# SECTION 7: HANDLING AND STORAGE

- 7.1 **Precautions for Safe Handling**: Avoid contact with eyes, skin, and clothing. Wash thoroughly after use.
- 7.2 Conditions for Safe Storage, Including any Incompatibilities: Keep away from excessive heat and cold. Keep out of the reach of children.
- 7.3 Specific end use(s):

Printer Cartridge

SDS	280, REV E	<b>Effective Date:</b>	June 14, 2007		
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013		
Product	Pitney Bowes Office Equipment	Page:	4 of 9		
Name:	Cleaner (Batch #126994 and				
	higher)				

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control Parameters:

Chemical Name	Exposure Limits
2-Butoxyethanol	50 ppm TWA OSHA PEL
United States	20 ppm TWA ACGIH TLV
Australia	20 ppm TWA; 50 ppm STEL
United Kingdom	25 ppm UK-TWA, 50 ppm UK-STEL
Germany	10 ppm TWA; 20 ppm STEL DFG MAK
European Union	20 ppm EU-TWA, 50 ppm EU-STEL skin
Dipropylene Glycol Methyl Ether	100 ppm TWA OSHA PEL (Skin)
United States	100 ppm TWA; 150 ppm STEL ACGIH TLV (Skin)
Australia	50 ppm TWA
United Kingdom	50 ppm UK-TWA
Germany	50 ppm TWA; 50 ppm STEL DFG MAK
European Union	50 ppm EU-TWA
Tetrasodium Ethylenediaminetetraacetate	None Established
Sodium Hydroxide	2 mg/m3 TWA OSHA PEL
United States	2 mg/m3 Ceiling ACGIH TLV
Australia	2 mg/m3 Ceiling
United Kingdom	2 mg/m3 UK- STEL

#### 8.2 Exposure Controls:

Engineering Controls: None required.

**Respiratory Protection:** None required.

**Skin Protection:** None normally required. Wear rubber gloves if needed to avoid skin contact.

**Eye Protection:** None normally required. Wear safety glasses if eye contact is possible. **Other:** Not required.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic Physical and Chemical Properties:

Appearance: Clear colorless liquid.	Vapor Density: > 1 (air = 1.0)	
Odor: Pleasant odor	<b>Specific Gravity:</b> 0.9994 @ 25°C	
Odor Threshold: Not determined	Water Solubility: Soluble	
<b>pH:</b> 12.0 – 12.5	<b>Octanol/Water Partition Coefficient:</b>	
	Not determined	
Melting Point/Freezing Point:	Autoignition Temperature:	
	Not determined	

SDS	280, REV E	<b>Effective Date:</b>	June 14, 2007		
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013		
Product	Pitney Bowes Office Equipment	Page:	5 of 9		
Name:	Cleaner (Batch #126994 and				
	higher)				

0°C (32°F)	
Boiling Point: 100°C (212°F)	Decomposition Temperature:
	Not determined
<b>Flash Point:</b> >93.3°C (>200°F) TAG CC	Viscosity: Not determined
<b>Evaporation Rate:</b> Not determined	<b>Explosion Properties:</b> Not determined
Flammable Limits: LEL: Not determined	<b>Oxidizing Properties:</b> Not determined
UEL: Not determined	
Vapor Pressure: Not determined	VOC: 105.750 g/L (non-exempt VOC) 10.58%

#### 9.2 Other Information:

None

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

Not reactive under normal conditions of use.

- **10.2 Chemical Stability:** Stable.
- **10.3 Possibility of Hazardous Reactions:** None known.
- **10.4** Conditions to Avoid: None known.
- **10.5** Incompatible Materials: Avoid strong oxidizers and strong bases.
- **10.6 Hazardous Decomposition Products:** Carbon dioxide, and carbon monoxide.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on Toxicological Effects:

Eyes: Causes eye irritation with redness and tearing.

**Skin:** Prolonged skin contact may cause irritation with redness and burning of the skin. Prolonged or extensive overexposure to 2-butoxyethanol may cause symptoms similar to those listed under ingestion.

**Ingestion:** Swallowing may cause gastrointestinal irritation, nausea, vomiting or diarrhea. Large amounts may cause central nervous system depression, noncardiogenic pulmonary edema, metabolic acidosis, kidney and liver damage and coma.

**Inhalation:** Inhalation may cause respiratory irritation, coughing, headache, dizziness, drowsiness and nausea.

SDS	280, REV E	<b>Effective Date:</b>	June 14, 2007
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013
Product	Pitney Bowes Office Equipment	Page:	6 of 9
Name:	Cleaner (Batch #126994 and		
	higher)		

2-Butoxyethanol	LD50: 470 mg/kg	Rat	Oral
	LD50: 400 mg/kg	Rabbit	Dermal
	LC50: 450 ppm / 4hr	Rat	Inhalation
Dipropylene Glycol	LD50: 5,350 mg/kg	Rat	Oral
Methyl Ether	LD50: 9,500 mg/kg	Rabbit	Dermal
Sodium Hydroxide	LD50: 140-340 mg/kg	Rat	Oral
	LD50: 1,350 mg/kg	Rabbit	Dermal

Irritation: May cause eye and skin irritation.

Corrosivity: This is not classified as a corrosive product, but contains a corrosive components.

Sensitization: Not classified as a sensitizer.

#### Specific Target Organ Toxicity:

<u>Single Exposure</u>: The principal effect exerted by 2-butoxyethanol and its metabolite 2-butoxyacetic acid is hematotoxicity, with the rat being the most sensitive species. In rats, adverse effects on the central nervous system, kidneys and liver occur at higher exposure concentrations than do the hemolytic effects.

Repeat Exposure: Prolonged intentional inhalation may result in respiratory tract irritation.

**Carcinogen Status:** None of the component of this product are classified as carcinogens by IARC, OSHA, NTP, ACGIH, or the EU Directives.

**Germ Cell Mutagenicity:** This product is not classifies as a mutagen. 2-Butoxyethanol was negative in the AMES test, both with and without activation, the Chinese hamster ovary assay and in a in-vivo bone marrow micronucleus test.

**Toxicity for Reproduction:** This product is not classifies as a reproductive hazard. 2-Butoxyethanol; In animals, adverse effects on reproduction and development have not been observed at less than toxic doses.

#### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity:

No data available for product. 2-Butoxyethanol: LC50: Daphnia magna (Water flea)1,720 mg/L/24 hr LC50:Lepomis macrochirus (Bluegill) 1,490 mg/L/96 hr Tetrasodium Ethylenediaminetetraacetate: LC50: Lepomis macrochirus(Bluegill)486 mg/L/96 hr LC50: Daphnia magna(Water Flea)625 mg/L/24 hr Sodium Hydroxide: LC50 Carassius auratus (Goldfish)160 mg/L/24 hr

SDS	280, REV E	<b>Effective Date:</b>	June 14, 2007	
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013	
Product	Pitney Bowes Office Equipment	Page:	7 of 9	
Name:	Cleaner (Batch #126994 and			
	higher)			

## 12.2 Persistence and Degradability:

No data available for product.

2-Butoxyethanol: The maximum Theoretical BOD reported was 88% for 20 days Dipropylene Glycol Methyl Ether: Five-, ten-, and twenty-day BOD values for were reported as 0, 0, and 31%, respectively. This delayed oxygen demand suggests that an acclimation period is required in order for a dipropylene glycol monomethyl etherdegrading population to become established.

## 12.3 Bioaccumulative Potential:

No data available for product.

2-Butoxyethanol: The potential for bioconcentration in aquatic organisms is low. Dipropylene Glycol Methyl Ether: Infinitely soluble in water, it will not be expected to bioconcentrate in aquatic organisms.

#### 12.4 Mobility in Soil:

No data available for product.

2-Butoxyethanol: Is expected to have high mobility in soil.

Dipropylene Glycol Methyl Ether: The high water solubility of dipropylene glycol monomethyl ether suggests that it will not sorb to soils or sediments and, therefore, would be expected to leach through soil.

#### **12.5 Results of PBT and vPvB Assessment:** Not required.

**12.6 Other Adverse Effects:** None.

# SECTION 13: DISPOSAL INFORMATION

#### 13.1 Waste Treatment Methods

Dispose in accordance with local, state or provincial and federal or national regulations.

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class(s)	14.4 Packing Group	14.5 Environmenta l Hazards
US DOT	None	Not regulated for transport	None	None	No
EU ADR/RID	None	Not regulated for	None	None	No

#### SECTION 14: TRANSPORT INFORMATION

SDS	280, REV E	<b>Effective Date:</b>	June 14, 2007	
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013	
Product	Pitney Bowes Office Equipment	Page:	8 of 9	
Name:	Cleaner (Batch #126994 and			
	higher)			

IATA:	None	transport Not regulated for transport	None	None	No
IMDG	None	Not regulated for transport	None	None	No

# 14.6 Special Precautions for User: None

#### 14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable

## SECTION 15: REGULATORY INFORMATION

# 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

#### **International Inventories:**

**US EPA TSCA Inventory**: All the components of this product are listed in the EPA TSCA Inventory.

**Canadian Environmental Protection Act**: All of the components are listed on the Canadian (DSL)Domestic Substances List.

EU Inventory: All the components are listed on the EINECS inventory.

Australian Regulations: All of the components are listed in the AICS inventory. Korean Regulations: All of the components are listed on the Korean KECL inventory. Japanese Regulations: All of the components are listed on the METI inventory.

#### **U.S. REGULATIONS**

**CERCLA:** Spills of this product are required to be reported to the National Response Center. The RQ for the product, based on the RQ for Sodium Hydroxide(0.5% maximum) of 1,000 lbs, is 200,000 lbs. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**EPA SARA 302:** This product does not contain chemicals regulated under SARA Section 302.

EPA SARA 311 Hazard Classification: Acute Health, Chronic Health

**EPA SARA 313:** This product contains the following chemicals that are regulated under SARA Title III, section 313: Glycol Ethers (2-Butoxyethanol 3-6% (111-76-2)

**California Proposition 65:** This product contains the following chemicals which are known to the State of California to cause cancer, reproductive toxicity or birth defects: None.

# **INTERNATIONAL REGULATIONS**

**WHMIS Classification:** Class D-2-B : Toxic material causing other toxic effects. **German WGK:** Not determined.

15.2 Chemical Safety Assessment: Not required

SDS	280, REV E	<b>Effective Date:</b>	June 14, 2007	
Number:	PITNEY BOWES, INC.	<b>Revised Date:</b>	August 30, 2013	
Product	Pitney Bowes Office Equipment	Page:	9 of 9	
Name:	Cleaner (Batch #126994 and			
	higher)			

SECTION 16: OTHER INFORMATION				
NFPA Codes:	Health: 2	Fire: 1	Instability:0	
HIMS Codes:	Health: 2	Fire: 1	Physical Hazard: 0	

## GHS Phrases for Reference (See Section 2 and 3):

Eye Dam. 1 – Eye Damage Category 1 Eye Irrit. 2 – Eye Irritation Category 2 Acute Tox 4 – Acute Toxicity Category 4 Skin Corr. 1A – Skin Corrosion Category 1A Skin Irrit. 2 - Skin Irritant Category 2 H302 Harmful if swallowed H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage H315 Causes skin irritation H318 Causes serious eye damage H319 Causes serious eye irritation H332 Harmful if inhaled.

#### EU Classes and Risk Phrases for Reference (See Sections 2 and 3):

C Corrosive Xi Irritant Xn Harmful R20/21/22 Harmful by inhalation, in contact with skin, and if swallowed R22 Harmful if swallowed R36/38 Irritating to eyes and skin R36/37/38 Irritating to eyes, respiratory system and skin R41 Risk of serious damage to eyes.

SDS Prepared By:	Chemical Review Board
WHMIS Reviewed	August 30, 2013

**Revision Summery:** Update re-order numbers.