

SAFETY DATA SHEET

1. Identification

Product identifier	Oxygen Release Compound Advanced (ORC Advanced®)		
Other means of identification	None.		
Recommended use	Soil and Groundwater Remediation.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Company name	Regenesis		
Address	1011 Calle Sombra		
	San Clemente, CA 92673 USA		
General information	949-366-8000		
E-mail	CustomerService@regenesis.com		
Emergency phone number	For Hazardous Materials Incidents ONLY (spi CHEMTREC 24/7 at:	ll, leak, fire, exposure or accident), call	
USA, Canada, Mexico	(+)1-800-424-9300		
International	(+)1-703-527-3887		
2. Hazard identification			
Physical hazards	Oxidising solids	Category 2	
Health hazards	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 1	
	Specific target organ toxicity following single exposure	Category 3 respiratory tract irritation	
Label elements			
Signal word	Danger		
Hazard statement	May intensify fire; oxidiser. Causes skin irritation. Causes serious eye damage. May cause		

	respiratory initiation.
Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Avoid breathing dust. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Calcium peroxide		1305-79-9	≥75
Calcium hydroxide		1305-62-0	≤25
Dipotassium Phosphate		7758-11-4	<5
Monopotassium Phosphate		7778-77-0	<5
Composition comments	All concentrations are in percent by weight un	less otherwise indicated.	
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in CENTRE or doctor/physician if you feel unwe	a position comfortable for bre	eathing. Call a POISON
Skin contact	IF ON CLOTHING: rinse immediately contam removing clothes. Rinse skin with water/show advice/attention. Wash contaminated clothing	inated clothing and skin with p rer. If skin irritation occurs: Ge pbefore reuse.	olenty of water before t medical
Eye contact	Do not rub eyes. Immediately flush eyes with contact lenses, if present and easy to do. Cor	plenty of water for at least 15 ntinue rinsing. Get medical att	minutes. Remove ention immediately.
Ingestion	Never give anything by mouth to a victim who mouth. Do not induce vomiting. If vomiting oc get into the lungs. Get medical attention if syn	is unconscious or is having c curs, keep head low so that s nptoms occur.	onvulsions. Rinse tomach content doesn't
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include vision. Permanent eye damage including blind tract, skin and eyes. Skin irritation. May cause	stinging, tearing, redness, sw dness could result. Dusts may e redness and pain.	elling, and blurred rirritate the respiratory
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treasymptoms may be delayed.	at symptomatically. Keep victi	m under observation.
General information	Take off all contaminated clothing immediatel Ensure that medical personnel are aware of the protect themselves. Wash contaminated cloth	y. Contact with combustible n he material(s) involved, and ta ing before reuse.	naterial may cause fire. ake precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water spray, fog (flooding amounts). Foam. D	Dry chemical powder. Carbon	dioxide (CO2).
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	Greatly increases the burning rate of combust heated. During fire, gases hazardous to healt metal oxides.	tible materials. Containers ma h may be formed. Combustion	y explode when products may include:
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pr	rotective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breather so without risk. Use water spray to cool unoper	e fumes. Move containers fror ened containers.	n fire area if you can do
Specific methods	Cool containers exposed to flames with water	until well after the fire is out.	
General fire hazards	May intensify fire; oxidiser. Contact with comb	oustible material may cause fi	ſe.
6. Accidental release meas	sures		

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Collect dust using a vacuum cleaner equipped with HEPA filter. Keep combustibles (wood, paper, oil etc) away from spilled material. Ventilate the contaminated area. Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers.
	Large Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Shovel the material into waste container. Minimise dust generation and accumulation. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Place all material into loosely covered plastic containers for later disposal. For waste disposal, see section 13 of the SDS. Wear appropriate protective equipment and clothing during clean-up.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimise dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Keep away from heat. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid contact with water and moisture. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Value	es	Velue
	Туре	value
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3
Canada. Alberta OELs (Occupati	onal Health & Safety Code, Scl	hedule 1, Table 2)
Components	Туре	Value
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3
Canada. British Columbia OELs. Safety Regulation 296/97, as ame	(Occupational Exposure Limit ended)	s for Chemical Substances, Occupational Health and
Components	Туре	Value
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3
Canada. Manitoba OELs (Reg. 21	7/2006, The Workplace Safety	And Health Act)
Components	Туре	Value
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3
Canada. Ontario OELs. (Control	of Exposure to Biological or C	hemical Agents)
Components	Туре	Value
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3
Canada. Quebec OELs. (Ministrv	of Labor - Regulation respecti	ing occupational health and safety)
Components	Туре	Value
Calcium hydroxide (CAS 1305-62-0)	TWA	5 mg/m3

Components	Type	Value
Calcium hydroxide (CAS 1305-62-0)	15 minute	10 mg/m3
	8 hour	5 mg/m3
Biological limit values	No biological exposure limits noted for	the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.	
Individual protection measure	s, such as personal protective equipme	nt
Eye/face protection	Use dust-tight, unvented chemical safe	ety goggles when there is potential for eye contact.
Skin protection		
Hand protection	Wear appropriate chemical resistant g include rubber, neoprene, nitrile or vito	loves. Frequent change is advisable. Recommended gloves on.
Other	Wear appropriate chemical resistant c	lothing.
Respiratory protection	If engineering controls do not maintain limits (where applicable) or to an acce been established), an approved respin dust filter.	airborne concentrations below recommended exposure ptable level (in countries where exposure limits have not ator must be worn. Recommended use: Wear respirator with
Thermal hazards	Wear appropriate thermal protective cl	lothing, when necessary.
General hygiene considerations	Keep from contact with clothing and of clothing promptly. Always observe goo handling the material and before eatin and protective equipment to remove co	ther combustible materials. Remove and wash contaminated of personal hygiene measures, such as washing after g, drinking, and/or smoking. Routinely wash work clothing ontaminants.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Colour	White to pale yellow.
Odour	Odourless.
Odour threshold	Not available.
рН	12.5 (3% suspension/water)
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Oxidizer.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Overson Bologoo Compound Advanced	(ODC Advanaad®)

Solubility(ies)	
Solubility (water)	Slightly soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	275 °C (527 °F)
Viscosity	Not available.
Other information	
Bulk density	0.5 - 0.9 g/ml
Explosive limit	Non-explosive.

10. Stability and reactivity

Reactivity	Greatly increases the burning rate of combustible materials.
Chemical stability	Decomposes on heating. Product may be unstable at temperatures above: 275°C/527°F.
Possibility of hazardous reactions	Reacts slowly with water.
Conditions to avoid	Heat. Moisture. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Acids. Bases. Salts of heavy metals. Reducing Agents. Combustible material.
Hazardous decomposition products	Oxygen. Hydrogen peroxide (H2O2). Steam. Heat.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	Ingestion may cause irritation and malaise.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results		
Calcium hydroxide (CAS 1305-62-0	Calcium hydroxide (CAS 1305-62-0)			
<u>Acute</u>				
Oral				
LD50	Rat	7340 mg/kg		
Dipotassium Phosphate (CAS 7758	-11-4)			
Acute				
Oral				
LD50	Rat	> 2000 mg/kg		
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/eye irritation	Causes serious eye damage.			
Respiratory or skin sensitisation				
Canada - Alberta OELs: Irrita	nt			
Calcium hydroxide (CAS 1	305-62-0)	Irritant		
Respiratory sensitisation	Not a respiratory sensitiser.			
Skin sensitisation	This product is not expected to cause skin sensitisation.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	This product is not considered	to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Due to the physical form of the product it is not expected to be an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Components		Species	Test Results	
Dipotassium Phosphate (CA	S 7758-11-4))		
Aquatic				
Acute				
Algae	EC50	Pseudokirchneriella subcapitata	> 100 mg/l, 72 Hours	
Crustacea	EC50	Daphnia magna	118.9 mg/l, 48 Hours	
Fish	LC50	Oryzias latipes	> 100 mg/l, 96 Hours	
Persistence and degradability	Decompo biodegrac	ses in the presence of water. The product of lable.	contains inorganic compounds which are not	
Bioaccumulative potential	The produ	uct does not contain any substances expec	ted to be bioaccumulating.	
Mobility in soil	This substance has very low solubility in water and low mobility in the environment.			
Other adverse effects	None known.			
13. Disposal consideration	ons			
Disposal instructions	Collect ar contents/c	nd reclaim or dispose in sealed containers a container in accordance with local/regional/	at licensed waste disposal site. Dispose of /national/international regulations.	
Local disposal regulations	Dispose i	n accordance with all applicable regulations	3.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused	Dispose o	of in accordance with local regulations. Emp	oty containers or liners may retain some	

products	product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

TDG	
UN number	UN1457
UN proper shipping name	CALCIUM PEROXIDE
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Packing group	II
Environmental hazards	No
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	UN1457
UN proper shipping name	Calcium peroxide
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Packing group	II
Environmental hazards	No
ERG Code	5L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number	UN1457
UN proper shipping name	CALCIUM PEROXIDE
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	No
EmS	F-G, S-Q
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Calcium peroxide (CAS 1305-79-9)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date
Revision date
Version No.
Disclaimer

12-October-2015 09-January-2019 02

Regenesis cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.